1635

JAN 0 9 2002 W

COPY OF PAPERS ORIGINALLY FILED

1

I hereby certify that this correspondence is being deposited with the United States Postal Services on the date set forth below as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Signature and Deposit:

8/01

Attorney of Record

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Martin G. Sirois, et al.

Serial No.:

09/945,131

Filed:

August 31, 2001

For:

LOCALIZED OLIGONUCLEOTIDE THERAPY FOR

PREVENTING RESTENOSIS

Group Art Unit:

1635

Examiner:

Dear Sir:

__

Commissioner For Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

.

Pursuant to 37 C.F.R. 1.98, enclosed herewith is a list of documents which the Applicants in the above-identified patent application wish to bring to the attention of the Examiner for consideration in connection with the examination on the merits of this patent application. As some of this information duplicates information presented in related case Serial No. 09/241,561, Applicants have not provided copies of the duplicated documents.

U.S. Patents

5,593,974; Rosenberg, et al.; January 14, 1997.

Foreign Patents

93/08845; PCT; May 13, 1993.

Other Documents

- J. Abe, et al., "Suppression of neointimal smooth muscle cell accumulation in vivo by antisense CDC2 and CDK2 oligonucleotides in rat carotid artery," Biochemical and Biophysical Research Communications, 198(1):16-24 (1994).
- S. Agrawal, et al., "Oligodeoxynucleoside phosphoramiddates and phosphorothioates as inhibitors of human immunodeficiency virus," Proc. Natl. Acad. Sci. USA 85:7079-7083 (1988).
- S. Agrawal, et al., "Inhibition of human immunodeficiency virus in early infected and chronically infected cells by antisense oligodeoxynucleotides and their phosphorothicate analogues," Proc. Natl. Acad. Sci. USA 86:7790-7794 (1989).
- S. Agrawal, et al., "Site-specific excision from RNA by Rnase H and mixed-phosphate-backbone oligodeoxynucleotides," Proc. Natl. Acad. Sci. USA 87:1401-1405 (1990).

- S. Agrawal and J. Goodchild, "Oligodeoxynucleoside methylphosphonates: synthesis and enzymic degradation,"

 Tetrahedron Letters 28(31):3539-3542 (1987).
- R.K. Assoian, et al., "Cellular transformation by coordinated action of three peptide growth factors from human platelets," Nature 309:804-806 (1984).
- W. Bannwarth, "166. Solid-phase synthesis of oligodeoxynucleotides containing phosphoramidate internucleotide linkages and their specific chemical cleavage," Helvetica Chimica Acta 71:1517-1527 (1984).
- H.R. Baumgartner, "Platelet interaction with vascular structures," Thromb. Diath. Haemorrh. Suppl. 51:161-176 (1972).
- M.R. Bennett, et al., "Inhibition of vascular smooth muscle cell proliferation in vitro and in vivo by c-myc antisense oligodeoxynucleotides," J. Clin. Invest. 93:820-828 (1994).
- S. Biro, et al., "Inhibitory effects of antisense oligodeoxynucleotides targeting c-myc mRNA on smooth muscle cell proliferation and migration," Proc. Natl. Acad. Sci.usa 90:654-658 (1993).
- T.L. Burgess, et al., "The antiproliferative activity of c-myb and c-myc antisense oligonucleotides in smooth

3

muscle cells is caused by a nonantisense mechanism," Proc. Natl. Acad. Sci. USA 92:4051-4055 (1995).

A.W. Clowes and S.M. Schwartz, "Significance of quiescent smooth muscle migration in the injured rat carotid artery," Circulation Research 56(1):139-145 (1985).

A.W. Clowes, et al., "Kinetics of cellular proliferation after arterial injury. III. Endothelial and smooth muscle growth in chronically denuded vessels,"

Laboratory Investigation 54(3):295-303 (1986).

G. Cohen, <u>et al.</u>, "Microbial isopenicillin N synthase genes: structure, function, diversity and evolution," Trends in Biotechnology 8:105-111 (1990).

R.M. Crooke, "In vitro toxicology and pharmacokinetics of antisense oligonucleotides," Anti-Cancer Design 6:609-646 (1991).

R. Cosstick and J.S. Vyle, "Solid phase synthesis of oligonucleotides containing 3'-thiothymidine," <u>Tetrahedron</u>

<u>Letters</u> 30:4693-4696 (1989).

Y. Daaka and E. Wickstrom, "Target dependence of antisense oligodeoxynucleotide inhibition of c-Ha-ras p21 expression and focus formation in T24-transformed NIH3T3 cells," Oncogene Research 5:267-275 (1990).

- M. Ebbecke, et al., "Antiproliferative effects of a c-myc antisense oligonucleotide on human arterial smooth muscle cells," Basic Res. Cardiol. 87:585-591 (1992).
- E.R. Edelman, et al., "C-myc in vasculoproliferative disease," Circulation Research 76(2):176-182 (1995).
- E.R. Edelman, "Effect of controlled adventitial heparin delivery on smooth muscle cell proliferation following endothelial injury," Proc. Natl. Acad. Sci. USA
 87:3773-3777 (1990).
- G.A.A. Ferns, et al., "Inhibition of neointimal smooth muscle accumulation after angioplasty by a antibody of PDGF," Science 253:1129-1132 (1991).
- G. Anfossi, et al., "An oligomer complementary to c-myb-encoded mRNA inhibits proliferation of human myeloid leukemia cell lines," Proc. Natl. Acad. Sci. USA 86:3379-3383 (1989).
- J. Goodchild, et al., "Inhibition of rabbit betaglobin synthesis by complementary oligonucleotides: identification of mRNA sites sensitive to inhibition,"

 <u>Archives of Biochemistry and Biophysics</u> 263(2):401-409 (1988).
- M.A. Guvakova, et al., "Phosphorothioate oligodeoxynucleotides bind to basic fibroblast growth factor, inhibit its binding to cell surface receptors, and 5146729_1.DOC -5-

remove it from low affinity binding sites on extracellular matrix," The Journal of Biological Chemistry 270(6):2620-2627 (1995).

C.-H. Heldin, "Partial purification and characterization of platelet factors stimulating the multiplication of normal human glial cells," Experimental Cell Research 109:429-437 (1977).

J.T. Holt, et al., "An oligomer complementary to c-myc mRNA inhibits proliferation of HL-60 promyelocytic cells and induces differentiation," Molecular and Cellular Biology 8(2):963-973 (1988).

D.L. Hwang, "Effects fo platelet-contained growth factors (PDGF, EFG, IGF-I, and TGF-beta) on DNA synthesis in porcine aortic smooth muscle cells in culture,"

Experimental Cell Research 200:358-360 (1992).

A. Jager, et al., "Oligonucleotide - alkylphosphoramidates: Synthesis and binding to polynucleotides," Biochemistry 27:7237-7246 (1988).

J.W. Jaroszewski, "Concerning antisense inhibition of the multiple drug resistance gene," <u>Cancer Communications</u> 2(8):287-294 (1990).

A. Jawien, et al., "Platelet-derived growth factor promotes smooth muscle migration and intimal thickening in

3

- a rat model of balloon angioplasty," <u>J. Clin. Invest.</u> 89:507-511 (1992).
- N. Koyama, et al., "Different functions of the platelet-derived growth factor-alpha and -beta receptors for the migration and proliferation of cultured baboon smooth muscle cells," <u>Circulation Research</u> 75(4):682-691 (1994).
- M. Kozak, "Influences of mRNA secondary structure on initiation by eukaryotic ribosomes," Proc. Natl. Acad. Sci.
 USA 83:2850-2854 (1986).
- R. Langer, et al., "Controlled release and magnetically modulated release systems for macromolecules," Methods in Enzymology 112:399-423 (1985).
- K.-W. Lau and U. Sigwart, "Restenosis-an accelerated arteriopathy: pathophysiology, preventive strategies and research horizons," <u>In Molecular Interventions and Local Drug Delivery</u>, R.E. Edelman and R.J. Levy, W.B. Saunders Company, Cambridge, UK, pp. 1-28 (1995).
- J.M.E. Leiter, et al., "Inhibition of influenza virus replication by phosphorthioate oligodeoxynucleotides,"

 Proc. Natl. Acad. Sci. USA 87:3430-3434 (1990).
- S.A. Liebhaber, et al., "Intramolecular duplexes in eucaryotic mRNA suppress translation in a position-dependent manner," J. Cell. Biochem. 15D:CD007 (Abstract).

 5146729_I.DOC -7-

- V. Lindner and A. Reidy, "Proliferation of smooth muscle cells after vascular injury is inhibited by an antibody against fibroblast growth factor," Proc. Natl.
 Acad. Sci. USA 88:3739-3743 (1991).
- S.L. Loke, et al., "Characterization of oligonucleotide transport into living cells, Proc. Natl. Acad. Sci. USA 86:3474-3478 (1989).
- M.W. Majesky, et al., "PDGF ligand and receptor gene expression during repair of arterial injury," The Journal of Cell Biology 111:2149-2158 (1990).
- R. Morishita, et al., "Single intraluminal delivery of antisence cdc2 kinase and proliferating-cell nuclear antigen oligonucleotides results in chronic inhibition of neointimal hyperplasia," Proc. Natl. Acad. Sci. USA 90:8474-8478 (1993).
- R. Morishita, et al., "Intimal hyperplasia after vascular injury is inhibited by antisense cdk2 kinase oligonucleotides," J. Clin. Invest. 93:1458-1464 (1994).
- J.B. Murray, et al., "A micro sustained release system for epidermal growth factor," In vitro 19:743-748 (1983).
- E.G. Nabel, et al., "Recombinant platelet-derived growth factor B gene expression in porcine arteries induces intimal hyperplasia in vivo," J. Clin. Invest. 91:1822-1829 (1993).

- J. Nielsen, et al., "Synthesis and characterization of dinucleoside phosphorodithioates," Tetrahedron Letters 29(24):2911-2914 (1988).
- N.E. Olson, et al., "Intimal smooth muscle cell proliferation after balloon catheter injury," American Journal of Pathology 140(5):1017-1023 (1992).
- R.S Paules, et al., "Mouse Mos protooncogene product is present and functions during oogenesis," Proc. Natl.

 Acad. Sci. USA 86:5395-5399 (1989).
- E.W. Raines, et al., "Platelet-derived growth factor,"

 In Peptide Growth Factors and Their Receptors, I.M.B. Sporn
 and A.B. Robert, editors, Springer-Velag, New York, pp.

 173-262 (1991).
- W.D. Rhine, et al., "A new approach to achieve zeroorder release kinetics from diffusion-controlled polymer
 matrix systems," In Controlled Release of Bioactive

 Materials," R. Baker, editor, Academic Press, New York, pp.
 177-187 (1980).
- R. Ross, "The smooth muscle cell," <u>The Journal of Cell</u> Biology 50:172-186 (1971).
- P.S. Sarin, et al., "Inhibition of acquired immunodeficiency syndrome virus by oligodeoxynucleoside methylphosphonates," Proc. USA 85:7448-7451 (1988).

- S.M. Schwartz, et al., "The intima soil for artherosclerosis and restenosis," <u>Circulation Research</u> 77(3):445-465 (1995).
- S.M. Schwartz, et al., "Replication of smooth muscle cells in vascular disease," <u>Circulation Research</u> 58(4):427-444 (1986).
- J.-P. Shaw, et al., "Modified deoxyoligonucleotides stable to exonuclease degradation in serum," <u>Nucleic Acids</u>
 Research 19(4):747-750 (1991).
- Y. Shi, et al., "Down regulation of c-myc expression by antisense oligonucleotides inhibits proliferation of human smooth muscle cells," Circulation 88:1190-1195 (1993).
- Y. Shi, et al., "Transcatheter delivery of c-myc antisense oligomers reduces neointimal formation in a porcine model of coronary artery balloon injury," Circulation 90(2):944-951 (1994).
- M. Simons, et al., "Antisense proliferating cell nuclear antigen oligonucleotides inhibit intimal hyperplasia in a rat carotid artery injury model," J. Clin.

 Invest. 93:2351-2356 (1994).
- M. Simons and R.D. Rosenberg, "Antisense nonmuscle nyosin heavy chain and c-myb oligonucleotides suppress

smooth muscle cell proliferation in vitro," <u>Circulation</u>
Research 70(4):835-843 (1992).

- M. Simons, et al., "Antisense c-myb oligonucleotides inhibit intimal arterial smooth muscle cell accumulation in vivo," Nature 359:67-70 (1992).
- E. Speir S.E. Epstein, "Inhibition of smooth muscle cell proliferation by an antisense oligodeoxynucleotide targeting the messenger RNA encoding proliferating cell nuclear antigen," <u>Circulation</u> 86(2):538-547 (1992).
- C.A. Stein, "Does antisense exist?" Nature Medicine 1(11):1119-1121 (1995).
- B. Uznanski, et al., "Deoxyribonucleoside 3'phosphordiamidites as substrates for solid supported
 synthesis of oligodeoxyribonucleotides and their
 phosphororhioate and DNA-triester analogues," Tetrahedron
 Letters 28:3401-3404 (1987).
- R.W. Wagner and K. Nishikura, "Cell cycle expression of RNA duplex unwindase activity in mammalian cells,"

 Molecular and Cellular Biology 8(2):770-777 (1988).
- A.M. Wang, et al., "Molecular cloning of the complementary DNA for human tumor necrosis factor," Science 228:149-154 (1985).

- E. Wickstrom, et al., "Complementary oligonucleotide probe of vasicular stomatitis virus matrix protein mRNA translation," Biophys. J. 49:15-17 (1986).
- L.A. Yakubov, <u>et al</u>., "Mechanism of oligonucleotide uptake by cells: involvement of specific receptors? Proc. Natl. Acad. Sci. USA 86:6454-6458 (1989).
- P.C. Zamecnik, et al., "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA, " Proc. Natl. Acad. Sci. USA 83:4143-4146 (1986).
- P.C. Zamecnik and M.L. Stephenson, "Inhibition of Rous sarcoma virus replication and cell transformation by a specific oligodeoxynucleotide," Proc. Natl. Acad. Sci. USA 75(1):280-284(1978).
- S. Banai, et al., "PGDF-receptor tyrosine kinase blocker AG1295 selectively attenuates smooth muscle cell growth in vitro and reduces neointimal formation after balloon angioplasty in swine," Circulation 97:1960-1969 (1998).
- G. Bilder, et al., "Restenosis following angioplasty in the swine coronary artery is inhibited by an orally active PDGF-receptor tyrosine kinase inhibitor, RPR101511A," Circulation 99:3292-3299 (1999). - 12 -5146729_1.DOC

- C.E. Hart, et al., "PDGF β receptor blockade inhibits intimal hyperplasia in the baboon," <u>Circulation</u> 99:564-569 (1999).
- S. Tanizawa, et al., "Expression of platelet derived growth factor B chain and β receptor in human coronary arteries after percutaneous transluminal coronary angioplasty: an immunohistochemical study," Heart 75:549-556 (1996).

No fee is believed necessary to enter this statement. However, if a fee is necessary, please charge Deposit Account 17-0055.

Respectfully submitted,

Martin G. Sirois, et al.

November 8, 2001

Jean C. Baker

Reg. No. 35,433

Quarles & Brady LLP

4 N East Wisconsin Avenue Milwaukee, WI 53202-4497

(414) 277-5709

_		a Ca	A JA JA	<u></u>	Docket Number (Optional)		Application Number	r	
s	INFO	DRMATION DISCLOSUR (Use several sheets if necess		7	Applicant(s) SIROIS, Martin G. et	t al.			
4		(000 0000000000000000000000000000000000			Filing Date August 31, 20		Group Art Unit		
				U.S. PA7	TENT DOCUMENTS	<u> </u>			
*EXAMINER	REF	DOCUMENT NUMBER	DATE	T	NAME	CLASS	SUBCLASS	FILING	DATE
INITIAL	REF	DOCUMENT NUMBER		 		Circo	SUBCLIAGO	IF APPRO	OPRIATE
		5,593,974	01/14/97	Rosenb	oerg et al.			01/06/95	,
	<u> </u>								
	<u> </u>								
				T			T	<u></u>	
				FOREIG	ON PATENT DOCUMENTS				
	REF	DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	Trans	slation NO
		93/08845	05/13/93	wo					
				+					
	\square					+		 	
	لــــــ	<u> </u>		OTHER	DOCUMENTS (Including	- Author Title.	Date, Pertinent Pa	nnos. Etc.)	
	$\overline{}$	Abe, J. et al. (1994). St	uppression of neo						<u>(2</u>
		Abe, J. et al. (1994). Suppression of neointimal smooth muscle cell accumulation in vivo by antisense CDC2 and CDK2 oligonucleotides in rat carotidartery. Biochemical and Biophysical Research Communications, Vol. 198 No. 1, 16-24.							
		Agrawal, S. et al. (1988). Oligodeoxynucleotide phosphoramidates and phosphorotioates as inhibitors of human immunodeficiency virus. Proc. Natl. Acad. Sci. USA., Vol. 85, 7079-7083.							
EXAMINEI	R				DATE CONSIDERED				
		al if citation considered, whether			ice with MPEP Section 609;	Draw line thro	ugh citation if not	t in conform	ance and

Form PTO-A820 (also form PTO-1449)

_		Docket Number (Optional)	Application Number	
INFO	RMATION DISCLOSURE CITATION (Use several sheets if necessary)	Applicant(s) SIROIS, Martin G. et al.		
	¢	Filing Date August 31, 2001	Group Art Unit	
*EXAMINER INITIAL	OTHER DOCUMENTS (Including Author, 1	Title, Date, Pertinent Pages, Etc.)		
A	Agrawal, S. et al. (1989). Inhibition of human im antisense oligodeoxynucleotides and their phosph	munodeficiency virus in early infec horothioate analogues. Proc. Natl. /	ted and chronically infected cells by Acad. Sci. USA, Vol. 86, pp 7790-7794.	
	Agrawal, S. et al. (1990). Site-specific excision fro Proc. Natl. Acad. Sci. USA, Vol. 87, 1401-1405.	om RNA by RNase H and mixed-ph	iosphate-backbone oligodeoxynucleotides	
	Agrawal, S. and John Goodchild. (1987). Oligodeoxynucleoside methylphosphonates: synthesis and enzymic degradation. Tetrahedron Letters, Vol. 28, No. 31, 3539-3542.			
	Assoian, R,K. et al. (1984). Cellular transformation platelets. Nature, Vol. 309, 804-806.	on by coordinated action of three p	eptide growth factors from human	
	Bannwarth, W. (1988). 166. Solid-Phase Synthes linkages and their specific chemical cleavage. Hel	is of Oligodeoxynucleotides contain ivetica Chimica Acta, Vol. 71, 1517	ring phosphoramidate internucleotide -1527.	
	Baumgartner, H.R. (1972). Platelet interaction wi	ith vascular structures. Thromb Di	ath. Haemorrh. Suppl., Vol. 51, 161-176.	
	Bennett, M.R. et al. (1994). Inhibition of vascular oligodeoxynucleotides. J. Clin. Invest., Vol. 93, 82	smooth muscle cell proliferation in 10-828.	ı vitro and in vivo by c-myc antisense	
	Biro, S. et al. (1993). Inhibitory effects of antisens prolifereation and migration. Proc. Natl. Acad. So	e oligodeoxynucleotides targeting c ci. USA, Vol. 90, 654-658.	:-myc mRNA on smooth muscle cell	
	Burgess, T.L. et al. (1995). The antiproliferative a cells is caused by a nonantisense mechanism. Proc	activity of c-myb and c-myc antisen c. Natl. Acad. Sci. USA, Vol. 92, 40	ise oligonucleotides in smooth muscle /51-4055.	
	Clowes, A.W. and S.M. Schwartz (1985). Significance of Quiescent Smooth Muscle Migration in the Injured Rat Carotid Artery. Circulation Research, Vol. 56, No. 1, 139-145.			
	Clowes, A.W. et al. (1986). Kinetics of cellular proliferation after arterial injury. III. Endothelial and smooth muscle growth in chronically denuded vessels. Laboratory Investigation, Vol. 54, No. 3, 295-303.			
	Cohen, G. et al. (1990) Microbial isopenicillin N synthase genes: structure, function, diversity and evolution. Trends in Biotechnology, Vol. 8, 105-111.			
EXAMINER		DATE CONSIDERED		
*EXAMINER: Initia not considered. Incl	al if citation considered, whether or not citation is in conform lude copy of this form with next communication to applicant.	ance with MPEP Section 609; Draw lin	e through citation if not in conformance and	

C.	And Addition of the State of th	Docket Number (Optional)	Application Number				
INFO	DRMATION DISCLOSURE CITATION (Use several sheets if necessary)	Applicant(s) SIROIS, Martin G. et al.					
Shermaning and a second		Filing Date August 31, 2001	Group Art Unit				
*EXAMINER	OTHER DOCUMENTS (Including Author,	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
INITIAL	Crooke, R.M. (1991) In vitro toxicology and pha	armacokinetics of antisense oligonucl	eotides. Anti-Cancer Design, Vol. 6,				
	Cosstick, R. and J.S. Vyle (1989). Solid phase sy Vol. 30, 4693–4696.	Cosstick, R. and J.S. Vyle (1989). Solid phase synthesis of oligonucleotides containing 3'-thiothymidine. Tetrahedron Letters, Vol. 30, 4693–4696.					
	Daaka, Y. and E Wickstrom (1990) Target dependence of antisense oligodeoxynucleotide inhibition of c-Ha-ras p21 expression and focus formation in T24-transformed NIH3T3 cells. Oncogne Research, Vol. 5, 267-275.						
	Ebbecke, M. et al. (1992). Antiproliferative effects of a c-myc antisense oligonucleotide on human arterial smooth muscle cells. Basic Res. Cardiol., Vol. 87, 585-591.						
	Edelman, E.R. et al. (1995). c-myc in vasculoproliferative disease. Circulation Research, Vol. 76, No. 2, 176-182.						
	Edelman, E.R. (1990). Effect of controlled adventitial heparin delivery on smooth muscle cell proliferation following endothelial injury. Proc. Natl. Acad. Sci. USA, Vol. 87, 3773-3777.						
	Ferns, G.A.A. et al. (1991). Inhibition of neointimal smooth muscle accumulation after angioplasty by a antibody of PDGF. Science, Vol. 253, 1129-1132.						
	Anfossi, G. et al. (1989). An oligomer complementary to c-myb-encoded mRNA inhibits proliferation of human myeloid leukemia cell lines. Proc. Natl. Acad. Sci. USA, Vol. 86, 3379-3383.						
	Goodchild, J. et al. (1988). Inhibition of rabbit beta-globin synthesis by complementary oligonucleotides: identification of mRNA sites sensitive to inhibition. Archives of Biochemistry and Biophysics, Vol. 263, No. 2, 401-409.						
	Guvakova, M.A. et al. (1995) Phosphorothioate oligodeoxynucleotides bind to basic fibroblast growth factor, inhibit its binding to cell surface receptors, and remove it from low affinity binding sites on extracellular matrix. The Journal of Biological Chemistry, Vol. 270, No. 6, 2620-2627.						
	Heldin, CH. (1977). Partial purification and characterization of platelet factors stimulating the multiplication of nor human glial cells. Experimental Cell Research, Vol. 109, 429-437.						
	Holt, J.T. et al. (1988). An oligomer complement induces differentiation. Molecular and Cellular	tary to c-myc mRNA inhibits prolifer Biology, Vol. 8, No. 2, 963-973.	ration of HL-60 promyelocytic cells and				
EXAMINER		DATE CONSIDERED					
	itial if citation considered, whether or not citation is in confor aclude copy of this form with next communication to applican	·	ne through citation if not in conformance and				

Docket Number (Optional) Application Number INFORMATION DISCLOSURE CITATION Applicant(s) (Use several sheets if necessary) SIROIS, Martin G. et al. Filing Date Group Art Unit August 31, 2001 *EXAMINER OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) INITIAL Hwang, D.L. (1992). Effects of platelet-contained growth factors (PDGF, EFG, IGF-I, and TGF-beta) on DNA synthesis in porcine aortic smooth muscle cells in culture. Experimental Cell Research, Vol. 200, 358-360. Jager, A et al. (1988). Oligonucleotide N-alkylphosphoramidates: Synthesis and binding to polynucleotides. Biochemistry, Vol. 27, 7237-7246. Jaroszewski, J.W. (1990). Concerning antisense inhibition of the multiple drug resistance gene. Cancer Communications, Vol. 2, No. 8, 287-294. Jawien, A. et al. (1992). Platelet-derived growth factor promotes smooth muscle migration and intimal thickening in a rat model of balloon angioplasty. J. Clin. Invest., Vol. 89, 507-511. Koyama, N. et al. (1994). Different functions of the platelet-derived growth factor-alpha and -beta receptors for the migration and proliferation of cultured baboon smooth muscle cells. Circulation Research, Vol. 75, No. 4, 682-691. Kozak, M. (1986). Influences of mRNA secondary structure on initiation by eukaryotic ribosomes. Proc. Natl. Acad, Sci. USA, Vol. 83, 2850-2854. Langer, R. et al. (1985). Controlled Release and magnetically modulated release systems for macromolecules. Methods in Enzymology, Vol. 112, 399-423. Lau, K-W and U. Sigwart. Restenosis - an accelarated arteriopathy: pathophysiology, preventive strategies and research horizons. In Molecular interventions and local drug delivery. Edelman RE, Levy RJ [editors]. Saunders WB Company, Cambridge UK. 1995; 1-28. Leiter, J.M.E. et al. (1990) Inhibition of influenza virus replication by phosphorothioate oligodeoxynucleotides. Proc. Natl. Acad. Sci. USA, Vol. 87, 3430-3434. Liebhaber, S.A. et al. (1991) Intramolecular duplexes in eucaryotic mRNA supress translation in a position-dependent manner. J. Cell. Biochem., 15D: CD007 (Abstract). Lindner, V. and A. Reidy (1991) Proliferation of smooth muscle cells after vascular injury is inhibited by an antibody against fibroblast growth factor. Proc. Natl. Acad. Sci. USA, Vol. 88, 3739-3743. Loke, S.L. et al. (1989). Characterization of oligonucleotide transport into living cells. Proc. Natl. Acad. Sci. USA, Vol. 86, 3474-3478. EXAMINER DATE CONSIDERED

P09B/REV04

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and

not considered. Include copy of this form with next communication to applicant.

		Docket Number (Optional)	Application Number			
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		Applicant(s) SIROIS, Martin G. et al.				
The desired in the second of t	4	Filing Date August 31, 2001	Group Art Unit			
*EXAMINER INITIAL	OTHER DOCUMENTS (Including Author, Tit	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)				
INITIAL	Majesky, M.W. et al. (1990). PDGF ligand and rec Biology, Vol. 111, 2149-2158.	Majesky, M.W. et al. (1990). PDGF ligand and receptor gene expression during repair of arterial injury. The Journal of Cell Biology, Vol. 111, 2149-2158.				
	Morishita, R. et al. (1993). Single intraluminal delivery of antisense cdc2 kinase and proliferating-cell nuclear antigen oligonucleotides results in chronic inhibition of neointial hyperplasia. Proc. Natl. Acad. Sci. USA, Vol. 90, 8474-8478.					
	Morishita, R. et al. (1994) Intimal hyperplasia after vascular injury is inhibited by antisense cdk 2 kinase oligonucleotides. J. Clin. Invest., Vol. 93, 1458-1464.					
	Murray, J. B. et al. (1983). A micro sustained release system for epidermal growth factor. In vitro, Vol. 19, 743-748.					
	Nabel, E.G. et al. (1993). Recombinant platelet-derived growth factor B gene expression in porcine arteries induces intimal hyperplasia in vivo. J. Clin. Invest., Vol. 91, 1822-1829.					
	Nielsen, J. et al. (1988). Synthesis and characterization of dinucleoside phosphorodithioates. Tetrahedron Letters, Vol. 29, No 24, 2911-2914.					
	Olson, N.E. et al. (1992). Intimal smooth muscle cell proliferation after balloon catheter injury. American Journal of Pathology, Vol. 140, No. 5 1017-1023.					
	Paules, R. S. et al. (1989). Mouse Mos protooncogene product is present and functions during oogenesis. Proc. Natl. Acad. Sci USA, Vol. 86, 5395-5399.					
	Raines, E.W. et al. Platelet-derived growth factor. In Peptide growth factors and their receptors. I. M.B. Sporn and A.B. Robert, editors. Springer-Verlag, New York, 1991; 173-262.					
	Rhine, W.D et al. (1980) A new approach to achieve zero-order release kinetics from diffusion-controlled polymer matrix systems. In Controlled Release of Bioactive Materials. R. Baker, editor. Academic Press, New York. 1980; 177-187.					
Ross, R. (1971) The smooth muscle cell. The Journal of Cell Biology, Vol. 50, 172-186.						
·	Sarin, P.S. et al. (1988). Inhibition of acquired immunodeficiency syndrome virus by oligodeoxynucleoside methylphosphonates. Proc. Natl. Acad. Sci. USA, Vol. 85, 7448-7451.					
EXAMINER		DATE CONSIDERED				
	tial if citation considered, whether or not citation is in conforma clude copy of this form with next communication to applicant.	nce with MPEP Section 609; Draw line	hrough citation if not in conformance and			

· ·		Docket Number (Optional)	Application Number			
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		Applicant(s) SIROIS, Martin G. et al.				
,	e ³	Filing Date August 31, 2001	Group Art Unit			
*EXAMINER	OTHER DOCUMENTS (Including Author	Title, Date, Pertinent Pages, Etc.)	A second			
INITIAL			vulation Research Vol 77 No 3 445 465			
	Schwartz, S.M. et al. (1995). The Intima soil for atherosclerosis and restenosis. Circulation Research, Vol. 77, No. 3, 445-465.					
.,	Schwartz, S. M. et al. (1986) Replication of smo 427-444.	atheter delivery of c-myc antisense oligomers reduces neointimal formation in a porcine model of ury. Circulation, Vol. 90, No. 2, 944-951.				
	Shaw, JP. et al. (1991) Modified deoxyoligonu Vol. 19, No. 4, 747-750.					
	Shi, Y. et al. (1993) Down regulation of c-myc e smooth muscle cells. Circulation, Vol. 88, 1190					
	Shi, Y. et al. (1994). Transcatheter delivery of c coronary artery balloon injury. Circulation, Vo					
	Simons, M. et al. (1994). Antisense proliferating carotid artery injury model. J. Clin. Invest., Vo					
	Simons, M. and R.D. Rosenberg (1992) Antisen muscle cell proliferation in vitro. Circulation Re					
	Simons, M. et al. (1992) Antisense c-myb oligon Nature, Vol. 359, 67-70.					
	Speir, E and S.E. Epstein (1992). Inhibition of targeting the messenger RNA encoding prolifer	smooth muscle cell proliferation by ating cell nuclear antigen. Circulation	an antisense oligodeoxynucleotide on, Vol. 86, No. 2 538-547.			
	Stein, C.A. (1995) Does antisense exist? Nature	n, C.A. (1995) Does antisense exist? Nature Medecine, Vol. 1, No. 11, 1119-1121.				
	Uznanski, B. et al. (1987). Deoxyribonucleoside oligodeoxyribonucleotides and their phosphoro	3'-phosphordiamidites as substrate thioate and DNA-triester analogues.	s for solid supported synthesis of Tetrahedron Letters, Vol. 28: 3401-3404.			
	Wagner, R.W. and K. Nishikura (1988) Cell cyc Molecular and Celiular Biology, Vol. 8, No. 2, 7	cle expression of RNA duplex unwin 170-777.	dase activity in mammalian cells.			
EXAMINER	·	DATE CONSIDERED				
EXAMINER: Initi	al if citation considered, whether or not citation is in confo lude copy of this form with next communication to applica	rmance with MPEP Section 609; Draw li	ne through citation if not in conformance and			

ι		Docket Ni.		Application Number		
INFO	ORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Applicant(s) SIROIS, Martin	G. et al.			
^	1/4	Filing Date August 3	21 2001	Group Art Unit		
*EXAMINER	OTHER DOCUMENTS (Including Author, To					
INITIAL	Wang, A.M. et al. (1985) Molecular cloning of the 149-154.	_	•	umor necrosis factor. Science, Vol. 228,		
	147-134.					
	Wickstrom, E. et al. (1986) Complementary oligonucleotide probe of vesicular stomatitis virus matrix protein mRNA translation. Byophys. J., Vol. 49, 15-17.					
	Yakubov, L. A. et al. (1989) Mechanism of oligonucleotide uptake by cells: involvement of specific receptors? Proc. Natl. Acad. Sci. USA, Vol. 86, 6454-6458.					
	Zamecnik, P.C. et al. (1986) Inhibition of replication cells by exogenous synthetic oligonucleotides comp	on and expression of h plementary to viral RN	iuman T-cell ! VA. Proc. Nati	lymphotoropic virus type III in cultured l. Acad. Sci. USA, Vol. 83, 4143-4146.		
	Zamecknik, P.C. and M.L. Stephenson (1978) Inhi specific oligodeoxynucleotide. Proc. Natl. Acad. Sc	ibition of Rous sarcom ci. USA, Vol. 75, No. 1,	ıa virus replic , 280-284.	ation and cell transformation by a		
	Banai, S. et al. (1998) PGDF-Receptor Tyrosine Kinase Blocker AG1295 Selectiely Attenuates Smooth Muscle Cell Growth In Vitro and Reduces Neointimal Formation After Balloon Angioplasty in Swine. Circulation, 97: 1960-1969.					
	Bilder, G. et al. (1999) Restenosis Following Angio PDGFReceptor Tyrosine Kinase Inhibitor, RPRI	plasty in the Swine Co 101511A. Circulation,	oronary Arter 99: 3292-329	y Is Inhibited By an Orally Active 9.		
	Hart, C.E. et al. (1999) PDGFB Receptor Blockade	e Inhibis Intimal Hype	rplasia in the	Baboon. Circulation, 99: 564-569.		
	Tanizawa, S. et al. (1996) Expression of platelet der after percutaneous transluminal coronary angiopla	rived growth factor B asty: an immunohistoc	chain and B i hemical study	receptor in human coronary arteries 7. Heart, 75: 549-556.		
EXAMINER		DATE CONSIDERED				
*EXAMINER: Initia not considered. Inch	al if citation considered, whether or not citation is in conformation is in conformation to applicant.	ince with MPEP Section	609; Draw line	through citation if not in conformance and		